

Table11.1: Detailed Smoking Status by Gender

	Overall	Male	Female
Current tobacco smoker	3,4 (3; 3,9)	7,2 (6,3 ; 8,2)	0,1 (0,0; 0,2)
Current tobacco smoker	2,4 (2,1; 2,8)	5,2 (4,4 ; 6,0)	0 (0,0; 0,1)
Occasional smoker	1 (0,8; 1,3)	2 (1,5; 2,7)	0,1 (0,0; 0,2)
Occasional smoker, formerly daily	0,3 (0,2; 0,5)	0,6 (0,4; 1,0)	0
Occasional smoker, never daily	0,7 (0,5; 0,9)	1,4 (1,0; 2,0)	0
Current non-smoker	96,6 (96,1; 97,0)	92,8 (91,8; 93,7)	99,9 (99,8; 100,0)
Former smoker	2,8 (2,4; 3,3)	5,7 (4,9; 6,8)	0,2 (0,1; 0,4)
Former daily smoker	1,5 (1,2; 1,9)	3,2 (2,5; 4,0)	0 (0,0; 0,1)
Former occasional smoker	1,3 (1,0; 1,7)	2,6 (2,0; 3,3)	0,2 (0,1; 0,4)
Never smoker	93,5 (92,8; 94,1)	87 (85,6; 88,3)	99,2 (98,8; 99,5)

Table11.2: Current Smokers of Various Smoked Tobacco Products, by Selected Demographic Characteristics

Demographic Characteristics			Type of Cigarette		
	Any smoked tobacco product	TAny cigarette	Manufactured	Hand-rolled	Other smoked tobacco
Overall	3,4 (3,0; 3,9)	3,4 (3,0; 3,9)	3,4 (3,0; 3,9)	0,6 (0,4; 0,8)	0,1 (0,0; 0,2)
<i>Gender</i>					
Male	7,2 (6,3; 8,2)	7,2 (6,3; 8,2)	7,2 (6,3; 8,2)	1,3 (0,9; 1,8)	0,2 (0,1; 0,4)
Female	0,1 (0,0; 0,2)	0,1 (0,0; 0,2)	0,1 (0,0; 0,2)	0	0
<i>Age (years)</i>					
15-24	0,6 (0,3; 1,1)	0,6 (0,3; 1,1)	0,6 (0,3; 1,1)	0,1 (0,0; 0,7)	0
25-44	3,3 (2,7; 4,0)	3,3 (2,7; 4,0)	3,3 (2,7; 4,0)	0,6 (0,4; 1,0)	0,1 (0,0; 0,2)
45-59	5,7 (4,6; 7,2)	5,7 (4,6; 7,2)	5,7 (4,6; 7,2)	1,3 (0,8; 2,0)	0,1 (0,0; 0,5)
65+	6,1 (4,3; 8,4)	6,1 (4,3; 8,4)	6,1 (4,3; 8,4)	0,3 (0,1; 1,1)	0,3 (0,1; 1,3)
<i>Residence</i>					
Urban	2,1 (1,6; 2,7)	2,1 (1,6; 2,7)	2,1 (1,6; 2,7)	0,3 (0,1; 0,7)	0
Rural	4,4 (3,8; 5,2)	4,4 (3,8; 5,2)	4,4 (3,8; 5,2)	0,9 (0,6; 1,2)	0,2 (0,1; 0,3)
<i>Education Level</i>					
[Category 1	5,9 (4,9; 7,1)	5,9 (4,9; 7,1)	5,9 (4,9; 7,1)	1,5 (1,0; 2,1)	0,2 (0,1; 0,5)
Category 2	4,4 (3,3; 5,8)	4,4 (3,3; 5,8)	4,4 (3,3; 5,8)	0,3 (0,1; 0,6)	0,1 (0,0; 0,5)
Category 3]	2,6 (2,0; 3,5)	2,6 (2,0; 3,5)	2,6 (2,0; 3,5)	0,4 (0,2; 1,1)	0,0 (0,0; 0,2)

Table11.3: Cigarettes Smoked per Day Among Daily Cigarette Smokers, by Selected Demographic Characteristics

Demographic Characteristics	Number of cigarettes smoked on average per day				
	<5	5 - 9	10-14	15-24	>=25
Overall	40,6 (33,3; 48,4)	42,6 (35,2; 50,3)	9,5 (5,7; 15,5)	7,3 (4,2; 12,5)	0
<i>Gender</i>					
Male	40,7 (33,4; 48,5)	42,4 (35,0; 50,1)	9,5 (5,7; 15,6)	7,3 (4,2; 12,5)	0
Female	0	100	0	0	0
<i>Age (years)</i>					
15-24	21,7 (3,1; 70,8)	78,3 (29,2; 96,9)	0	0	0
25-44	42,6 (31,6; 54,3)	35,5 (25,8; 46,7)	12,8 (7,0; 22,5)	9,0 (4,2; 18,4)	0
45-59	36,9 (25,7; 49,6)	49,2 (36,5; 62,0)	9,6 (3,8; 22,3)	4,3 (1,3; 13,1)	0
65+	47,7 (30,6; 65,4)	41,3 (25,2; 59,5)	0	11,0 (3,6; 29,0)	0
<i>Residence</i>					
Urban	39,0 (25,4; 54,6)	37,2 (25,4; 50,8)	14,4 (7,3; 26,7)	9,3 (3,7; 21,4)	0
Rural	41,1 (32,7; 50,1)	44,3 (35,6; 53,5)	7,9 (3,8; 15,6)	6,6 (3,3; 13,0)	0
<i>Education Level</i>					
[Category 1	43,2 (33,5; 53,5)	46,9 (37,0; 57,2)	5,1 (1,4; 16,2)	4,8 (2,1; 10,4)	0
Category 2	32,0 (19,1; 49,3)	49,0 (33,0; 65,2)	16,2 (7,5; 31,5)	2,9 (0,6; 12,3)	0
Category 3]	44,6 (28,5; 61,9)	22,9 (12,0; 39,4)	14,6 (6,7; 28,9)	17,8 (8,0; 35,2)	0

Table11.4: Detailed Smokeless Tobacco Use Status by Gender

Smoking Status	Overall	Male	Female
Current smokeless tobacco user	2,9 (2,4; 3,4)	4,1 (3,3; 5,0)	1,8 (1,3; 2,4)
Daily user	1,8 (1,4; 2,2)	2,6 (2,0; 3,4)	1,0 (0,7; 1,5)
Occasional user	1,1 (0,8; 1,5)	1,4 (1,0; 2,1)	0,8 (0,5; 1,3)
Occasional user, formerly daily	0,3 (0,2; 0,5)	0,4 (0,2; 0,8)	0,3 (0,1; 0,7)
Occasional user, never daily	0,7 (0,5; 1,0)	1,0 (0,7; 1,5)	0,5 (0,2; 0,9)
Current non-user of smokeless tobacco	97,1 (96,6; 97,6)	95,9 (95,0; 96,7)	98,2 (97,6; 98,7)
Former user	97,1 (96,6; 97,6)	95,9 (95,0; 96,7)	98,2 (97,6; 98,7)
Former daily user	1,1 (0,8; 1,4)	1,8 (1,3; 2,5)	0,4 (0,2; 0,7)
Former occasional user	96,1 (95,5; 96,6)	94,1 (93,0; 95,1)	97,9 (97,2; 98,4)
Never smokeless user	0	0	0

Table11.5: Exposure to Tobacco Smoke at Home, by Smoking Status and Selected Demographic Characteristics

Demographic Characteristics	Respondents exposed to tobacco smoke at home	
	Overall	Non-smokers
Overall	9,5 (8,7; 10,3)	8,2 (7,4; 9,0)
<i>Gender</i>		
Male	9,8 (8,7; 11,0)	7,2 (6,2; 8,3)
Female	9,2 (8,1; 10,4)	9,1 (8,0; 10,3)
<i>Age (years)</i>		
15-24	8,5 (7,0; 10,3)	8,4 (6,9; 10,2)
25-44	10,7 (9,5; 12,0)	9,2 (8,1; 10,5)
45-59	7,3 (5,9; 9,0)	5,8 (4,5; 7,4)
65+	10,3 (7,6; 13,9)	8,1 (5,6; 11,6)
<i>Residence</i>		
Urban	9,5 (8,3; 10,7)	8,4 (7,3; 9,6)
Rural	9,5 (8,4; 10,7)	8,0 (7,0; 9,2)
<i>Education Level</i>		
[Category 1	13,3 (11,6; 15,2)	11,8 (10,2; 13,7)
Category 2	7,8 (6,2; 9,7)	5,5 (4,2; 7,2)
Category 3]	7,7 (6,5; 9,2)	6,5 (5,3; 7,9)

Table11.6: Exposure to Tobacco Smoke at Indoor Work Areas, by Smoking Status and Selected Demographic Characteristics

Demographic Characteristics	Respondents exposed to tobacco smoke at work	
	Overall	Non-smokers
Overall	8,7 (7,0; 10,8)	1,4 (1,1; 1,8)
<i>Gender</i>		
Male	9,0 (6,9; 11,7)	1,7 (1,3; 2,3)
Female	8,3 (5,7; 11,8)	1,1 (0,8; 1,7)
<i>Age (years)</i>		
15-24	5,9 (2,7; 12,3)	0,7 (0,3; 1,5)
25-44	8,9 (6,8; 11,7)	1,8 (1,4; 2,5)
45-59	10,0 (6,4; 15,3)	1,5 (0,9; 2,5)
65+	9,9 (4,7;19,8)	0,6 (0,3; 1,5)
<i>Residence</i>		
Urban	10,5 (8,1; 13,6)	2,5 (1,8; 3,3)
Rural	6,1 (4,2; 8,8)	0,6 (0,4; 1,0)
<i>Education Level</i>		
[Category 1	8,5 (5,4; 13,3)	0,8 (0,5; 1,3)
Category 2	9,4 (6,0; 14,6)	1,1 (0,6; 1,9)
Category 3]	9,4 (6,9; 12,6)	2,7 (2,0; 3,8)

Demographic Characteristics	Smoking cessation and health care seeking behavior		
	Made quit attempt	Visited a HCP	Advised to quit by HCP
Overall	38,7 (32,3; 45,6)	7,2 (4,5; 11,4)	86,0 (56,5; 96,7)
<i>Gender</i>			
Male	38,6 (32,1; 45,5)	6,7 (4,1; 11,0)	84,9 (54,1; 96,4)
Female	52,0 (13,1; 88,6)	52,0 (13,1; 88,6)	100
<i>Age (years)</i>			
15-24	27,9 (7,3; 65,5)	14,0 (2,0; 56,4)	100
25-44	40,8 (31,2; 51,2)	6,8 (3,4; 13,0)	100
45-59	46,8 (35,7; 58,1)	6,1 (2,3; 15,2)	69,0 (18,7; 95,6)
65+	12,9 (5,7; 26,6)	9,8 (3,8; 23,2)	75,8 (24,9; 96,7)
<i>Residence</i>			
Urban	44,7 (32,3; 57,8)	9,2 (4,2; 18,7)	72,0 (23,9; 95,5)
Rural	36,6 (29,2; 44,6)	6,5 (3,5; 11,6)	93,2 (63,6; 99,1)
<i>Education Level</i>			
[Category 1	26,2 (18,7; 35,3)	3,8 (1,7; 8,3)	82,3 (35,2; 97,6)
Category 2	50,8 (36,9; 64,7)	7,6 (2,8; 18,9)	100
Category 3]	53,2 (39,0; 66,8)	12,7 (5,9; 25,3)	76,7 (28,1; 96,5)

Table 11.8: Noticing Anti-Cigarette Smoking Information During the Last 30 Days in Newspapers or Magazines and Television, by Smoking Status and Selected Demographic Characteristics

Places	Overall	Gender		Age (years)		Residence	
		Male	Female	15-24	≥ 25	Urban	Rural
<i>Overall</i>							
In newspapers or in magazines	23,9 (20,2; 28,0)	27,1 (22,2; 32,6)	18,7 (13,7; 25,1)	26,3 (19,3; 34,8)	23,2 (19,0; 28,0)	21,5 (17,7; 25,8)	34,9 (24,8; 46,7)
On television	76,1 (72,0; 79,9)	72,9 (67,4; 77,8)	81,3 (74,9; 86,3)	73,7 (65,2; 80,7)	76,8 (72,0; 8,0)	78,5 (74,2; 82,3)	65,1 (53,3; 75,2)
<i>Current smokers</i>							
In newspapers or in magazines	43,7 (23,6; 62,8)	43,7 (23,6; 62,8)	0	100	41,1 (23,9; 60,7)	46,7 (24,1; 70,7)	40,9 (17,8; 68,9)
On television	56,3 (37,2; 73,7)	56,3 (37,2; 73,7)	0	0	58,9 (39,3; 76,1)	53,3 (29,3; 75,9)	59,1 (31,1; 82,2)
<i>Non-smokers</i>							
In newspapers or in magazines	23,0 (19,2; 27,2)	25,8 (20,8; 31,5)	18,7 (13,7; 25,1)	25,7 (18,7; 34,1)	22,1 (17,9; 27,1)	20,8 (17,0; 25,2)	34,0 (23,2; 46,9)
On television	77,0 (72,8; 80,8)	74,2 (68,5; 79,2)	81,3 (74,9; 86,3)	74,3 (65,9; 81,3)	77,9 (72,9; 82,1)	79,2 (74,8; 83,0)	66,0 (53,1; 76,8)

Table 11.9: Current Smokers who Noticed Health Warnings on Cigarette Packages and Considered Quitting Because of the Warnings During the Last 30 Days, by Selected Demographic Characteristics

Demographic Characteristics	Current smokers who...	
	Noticed health warnings on cigarette package	Thought about quitting because of warning label
Overall	48,7 (42,0; 55,5)	61,1 (51,0; 70,3)
<i>Gender</i>		
Male	48,7 (41,9; 55,5)	60,6 (50,5; 70,0)
Female	54,3 (14,3; 89,4)	100
<i>Age (years)</i>		
15-24	88,2 (55,6; 97,8)	52,7 (21,5; 81,9)
25-44	56,4 (46,5; 65,8)	58,7 (45,0; 71,2)
45-59	50,4 (39,1; 61,6)	65,5 (48,3; 79,4)
65+	7,3 (2,4; 19,9)	70,3 (21,2; 95,4)
<i>Residence</i>		
Urban	66,7 (55,1; 79,8)	64,6 (50,8; 76,4)
Rural	41,4 (33,7; 49,7)	59,0 (45,2; 71,4)
<i>Education Level</i>		
[Category 1	29,3 (21,2; 38,9)	47,4 (29,7; 65,8)
Category 2	47,0 (33,3; 61,1)	68,2 (47,3; 83,7)
Category 3]	84,5 (74,2; 91,2)	67,9 (51,9; 80,6)

Table 11.10: Noticing Cigarette Advertising During the Last 30 Days in Various Places, by Selected Demographic Characteristics

Places	Overall	Gender		Age (years)		Residence	
		Male	Female	15-24	≥ 25	Urban	Rural
Noticed advertisements in stores	5,5 (4,9; 6,1)	7,0 (6,1; 8,1)	4,1 (3,4; 4,9)	5,3 (4,1; 6,7)	5,5 (4,9; 6,2)	10,7 (9,5; 12,0)	1,5 (1,1; 2,0)
<i>Noticed cigarette promotions</i>	2,9 (2,4; 3,4)	3,5 (2,8; 4,4)	2,3 (1,8; 3,0)	3,0 (2,1; 4,3)	2,9 (2,4; 3,4)	3,2 (2,6; 3,9)	2,7 (2,1; 3,4)
Free samples	0,4 (0,3; 0,6)	0,5 (0,3; 0,9)	0,3 (0,1; 0,6)	0,4 (0,2; 1,0)	0,4 (0,2; 0,6)	0,6 (0,3; 0,9)	0,3 (0,1; 0,6)
Sale prices	0,3 (0,2; 0,6)	0,5 (0,2; 1,0)	0,2 (0,1; 0,5)	0,5 (0,1; 1,7)	0,3 (0,2; 0,5)	0,4 (0,2; 0,6)	0,3 (0,1; 0,8)
Coupons	0,1 (0,1; 0,3)	0,2 (0,1; 0,5)	0,1 (0,0; 0,4)	0,1 (0,0; 0,5)	0,2 (0,1; 0,4)	0,1 (0,0; 0,3)	0,2 (0,1; 0,5)
Free gifts/discounts on other products	0,2 (0,1; 0,4)	0,2 (0,1; 0,6)	0,2 (0,1; 0,4)	0,2 (0,0; 0,5)	0,2 (0,1; 0,4)	0,2 (0,1; 0,4)	0,2 (0,1; 0,5)
Clothing/item with brand name or logo	2,5 (2,1; 3,0)	2,9 (2,3; 3,7)	2,1 (1,7; 2,8)	2,3 (1,5; 3,3)	2,6 (2,1; 3,1)	2,6 (2,1; 3,3)	2,4 (1,9; 3,2)
Mail promoting cigarettes	0,1 (0,1; 0,3)	0,2 (0,1; 0,5)	0,1 (0,0; 0,4)	0,0 (0,0; 0,2)	0,2 (0,1; 0,4)	0,1 (0,0; 0,3)	0,2 (0,1; 0,5)

Table 11.11: Average amount spent on a cigarette pack, monthly average expenditure on cigarettes and cost of 100 cigarette packs as a percentage of Gross Domestic Product (GDP) per capita according to sex, Age Group and level of education

		Confidence interval (IC 95%)
		Amount in Francs CFA
All of the country	Average Amount Spent on 20 manufactured cigarettes	377,0 (343,3; 410,6)
	Monthly Average expenditure on cigarettes	4907,4 (4055,7; 5759,1)
	Cost of 100 packs of cigarettes manufactured in percentage of annual gross domestic product (GDP) per capita	Total(%) 10,8 (9,8; 11,8)
Age Group		
,-24	Average Amount Spent on 20 manufactured cigarettes	377,7159
	Monthly Average expenditure on cigarettes	2466,5 (1860,3; 3072,8)
[25-44]	Average Amount Spent on 20 manufactured cigarettes	384,6 (331,4; 437,9)
	Monthly Average expenditure on cigarettes	5091,3 (4191,4; 5991,2)
[45-64]	Average Amount Spent on 20 manufactured cigarettes	357,6 (306,3; 408,9)
	Monthly Average expenditure on cigarettes	4254,6 (2715,7; 5793,4)
65 or over	Average Amount Spent on 20 manufactured cigarettes	402,8 (328,6; 476,9)
	Monthly Average expenditure on cigarettes	6552,6 (3239,6; 9865,5)
Educational Level		
Without level	Average Amount Spent on 20 manufactured cigarettes	398,5 (340,5; 456,6)
	Monthly Average expenditure on cigarettes	4918,9 (3498,1; 6339,6)
Primary	Average Amount Spent on 20 manufactured cigarettes	389,8 (331,7; 9)
	Monthly Average expenditure on cigarettes	3975,6 (3170,8; 4780,5)
Secondary or plus	Average Amount Spent on 20 manufactured cigarettes	335,4 (297,2; 373,6)
	Monthly Average expenditure on cigarettes	5548,5 (4063,1; 7033,8)

Table11.1: Detailed Smoking Status by Gender

	Overall	Male	Female
Current tobacco smoker	3,4 (3; 3,9)	7,2 (6,3 ; 8,2)	0,1 (0,0; 0,2)
Current tobacco smoker	2,4 (2,1; 2,8)	5,2 (4,4 ; 6,0)	0 (0,0; 0,1)
Occasional smoker	1 (0,8; 1,3)	2 (1,5; 2,7)	0,1 (0,0; 0,2)
Occasional smoker, formerly daily	0,3 (0,2; 0,5)	0,6 (0,4; 1,0)	0
Occasional smoker, never daily	0,7 (0,5; 0,9)	1,4 (1,0; 2,0)	0
Current non-smoker	96,6 (96,1; 97,0)	92,8 (91,8; 93,7)	99,9 (99,8; 100,0)
Former smoker	2,8 (2,4; 3,3)	5,7 (4,9; 6,8)	0,2 (0,1; 0,4)
Former daily smoker	1,5 (1,2; 1,9)	3,2 (2,5; 4,0)	0 (0,0; 0,1)
Former occasional smoker	1,3 (1,0; 1,7)	2,6 (2,0; 3,3)	0,2 (0,1; 0,4)
Never smoker	93,5 (92,8; 94,1)	87 (85,6; 88,3)	99,2 (98,8; 99,5)

Table11.2: Current Smokers of Various Smoked Tobacco Products, by Selected Demographic Characteristics

Demographic Characteristics	Type of Cigarette				
	Any smoked tobacco product	TAny cigarette	Manufactured	Hand-rolled	Other smoked tobacco
Overall	3,4 (3,0; 3,9)	3,4 (3,0; 3,9)	3,4 (3,0; 3,9)	0,6 (0,4; 0,8)	0,1 (0,0; 0,2)
<i>Gender</i>					
Male	7,2 (6,3; 8,2)	7,2 (6,3; 8,2)	7,2 (6,3; 8,2)	1,3 (0,9; 1,8)	0,2 (0,1; 0,4)
Female	0,1 (0,0; 0,2)	0,1 (0,0; 0,2)	0,1 (0,0; 0,2)	0	0
<i>Age (years)</i>					
15-24	0,6 (0,3; 1,1)	0,6 (0,3; 1,1)	0,6 (0,3; 1,1)	0,1 (0,0; 0,7)	0
25-44	3,3 (2,7; 4,0)	3,3 (2,7; 4,0)	3,3 (2,7; 4,0)	0,6 (0,4; 1,0)	0,1 (0,0; 0,2)
45-59	5,7 (4,6; 7,2)	5,7 (4,6; 7,2)	5,7 (4,6; 7,2)	1,3 (0,8; 2,0)	0,1 (0,0; 0,5)
65+	6,1 (4,3; 8,4)	6,1 (4,3; 8,4)	6,1 (4,3; 8,4)	0,3 (0,1; 1,1)	0,3 (0,1; 1,3)
<i>Residence</i>					
Urban	2,1 (1,6; 2,7)	2,1 (1,6; 2,7)	2,1 (1,6; 2,7)	0,3 (0,1; 0,7)	0
Rural	4,4 (3,8; 5,2)	4,4 (3,8; 5,2)	4,4 (3,8; 5,2)	0,9 (0,6; 1,2)	0,2 (0,1; 0,3)
<i>Education Level</i>					
[Category 1	5,9 (4,9; 7,1)	5,9 (4,9; 7,1)	5,9 (4,9; 7,1)	1,5 (1,0; 2,1)	0,2 (0,1; 0,5)
Category 2	4,4 (3,3; 5,8)	4,4 (3,3; 5,8)	4,4 (3,3; 5,8)	0,3 (0,1; 0,6)	0,1 (0,0; 0,5)
Category 3]	2,6 (2,0; 3,5)	2,6 (2,0; 3,5)	2,6 (2,0; 3,5)	0,4 (0,2; 1,1)	0,0 (0,0; 0,2)

Table11.3: Cigarettes Smoked per Day Among Daily Cigarette Smokers, by Selected Demographic Characteristics

Demographic Characteristics	Number of cigarettes smoked on average per day				
	<5	5 - 9	10-14	15-24	>=25
Overall	40,6 (33,3; 48,4)	42,6 (35,2; 50,3)	9,5 (5,7; 15,5)	7,3 (4,2; 12,5)	0
<i>Gender</i>					
Male	40,7 (33,4; 48,5)	42,4 (35,0; 50,1)	9,5 (5,7; 15,6)	7,3 (4,2; 12,5)	0
Female	0	100	0	0	0

<i>Age (years)</i>					
15-24	21,7 (3,1; 70,8)	78,3 (29,2; 96,9)	0	0	0
25-44	42,6 (31,6; 54,3)	35,5 (25,8; 46,7)	12,8 (7,0; 22,5)	9,0 (4,2; 18,4)	0
45-59	36,9 (25,7; 49,6)	49,2 (36,5; 62,0)	9,6 (3,8; 22,3)	4,3 (1,3; 13,1)	0
65+	47,7 (30,6; 65,4)	41,3 (25,2; 59,5)	0	11,0 (3,6; 29,0)	0
<i>Residence</i>					
Urban	39,0 (25,4; 54,6)	37,2 (25,4; 50,8)	14,4 (7,3; 26,7)	9,3 (3,7; 21,4)	0
Rural	41,1 (32,7; 50,1)	44,3 (35,6; 53,5)	7,9 (3,8; 15,6)	6,6 (3,3; 13,0)	0
<i>Education Level</i>					
[Category 1	43,2 (33,5; 53,5)	46,9 (37,0; 57,2)	5,1 (1,4; 16,2)	4,8 (2,1; 10,4)	0
Category 2	32,0 (19,1; 49,3)	49,0 (33,0; 65,2)	16,2 (7,5; 31,5)	2,9 (0,6; 12,3)	0
Category 3]	44,6 (28,5; 61,9)	22,9 (12,0; 39,4)	14,6 (6,7; 28,9)	17,8 (8,0; 35,2)	0

Table11.4: Detailed Smokeless Tobacco Use Status by Gender

Smoking Status	Overall	Male	Female
Current smokeless tobacco user	2,9 (2,4; 3,4)	4,1 (3,3; 5,0)	1,8 (1,3; 2,4)
Daily user	1,8 (1,4; 2,2)	2,6 (2,0; 3,4)	1,0 (0,7; 1,5)
Occasional user	1,1 (0,8; 1,5)	1,4 (1,0; 2,1)	0,8 (0,5; 1,3)
Occasional user, formerly daily	0,3 (0,2; 0,5)	0,4 (0,2; 0,8)	0,3 (0,1; 0,7)
Occasional user, never daily	0,7 (0,5; 1,0)	1,0 (0,7; 1,5)	0,5 (0,2; 0,9)
Current non-user of smokeless tobacco	97,1 (96,6; 97,6)	95,9 (95,0; 96,7)	98,2 (97,6; 98,7)
Former user	97,1 (96,6; 97,6)	95,9 (95,0; 96,7)	98,2 (97,6; 98,7)
Former daily user	1,1 (0,8; 1,4)	1,8 (1,3; 2,5)	0,4 (0,2; 0,7)
Former occasional user	96,1 (95,5; 96,6)	94,1 (93,0; 95,1)	97,9 (97,2; 98,4)
Never smokeless user	0	0	0

Table11.5: Exposure to Tobacco Smoke at Home, by Smoking Status and Selected Demographic Characteristics

Demographic Characteristics	Respondents exposed to tobacco smoke at home	
	Overall	Non-smokers
Overall	9,5 (8,7; 10,3)	8,2 (7,4; 9,0)
<i>Gender</i>		
Male	9,8 (8,7; 11,0)	7,2 (6,2; 8,3)
Female	9,2 (8,1; 10,4)	9,1 (8,0; 10,3)
<i>Age (years)</i>		
15-24	8,5 (7,0; 10,3)	8,4 (6,9; 10,2)
25-44	10,7 (9,5; 12,0)	9,2 (8,1; 10,5)
45-59	7,3 (5,9; 9,0)	5,8 (4,5; 7,4)
65+	10,3 (7,6; 13,9)	8,1 (5,6; 11,6)
<i>Residence</i>		
Urban	9,5 (8,3; 10,7)	8,4 (7,3; 9,6)
Rural	9,5 (8,4; 10,7)	8,0 (7,0; 9,2)

<i>Education Level</i>		
[Category 1	13,3 (11,6; 15,2)	11,8 (10,2; 13,7)
Category 2	7,8 (6,2; 9,7)	5,5 (4,2; 7,2)
Category 3]	7,7 (6,5; 9,2)	6,5 (5,3; 7,9)

Table11.6: Exposure to Tobacco Smoke at Indoor Work Areas, by Smoking Status and Selected Demographic Characteristics

Demographic Characteristics	Respondents exposed to tobacco smoke at work	
	Overall	Non-smokers
Overall	8,7 (7,0; 10,8)	1,4 (1,1; 1,8)
<i>Gender</i>		
Male	9,0 (6,9; 11,7)	1,7 (1,3; 2,3)
Female	8,3 (5,7; 11,8)	1,1 (0,8; 1,7)
<i>Age (years)</i>		
15-24	5,9 (2,7; 12,3)	0,7 (0,3; 1,5)
25-44	8,9 (6,8; 11,7)	1,8 (1,4; 2,5)
45-59	10,0 (6,4; 15,3)	1,5 (0,9; 2,5)
65+	9,9 (4,7;19,8)	0,6 (0,3; 1,5)
<i>Residence</i>		
Urban	10,5 (8,1; 13,6)	2,5 (1,8; 3,3)
Rural	6,1 (4,2; 8,8)	0,6 (0,4; 1,0)
<i>Education Level</i>		
[Category 1	8,5 (5,4; 13,3)	0,8 (0,5; 1,3)
Category 2	9,4 (6,0; 14,6)	1,1 (0,6; 1,9)
Category 3]	9,4 (6,9; 12,6)	2,7 (2,0; 3,8)

Table 11.7: Current Smokers who Made a Quit Attempt and Received Health Care Provider Assistance in the Past 12 Months, by Selected Demographic Characteristics

Demographic Characteristics	Smoking cessation and health care seeking behavior		
	Made quit attempt	Visited a HCP	Advised to quit by HCP
Overall	38,7 (32,3; 45,6)	7,2 (4,5; 11,4)	86,0 (56,5; 96,7)
<i>Gender</i>			
Male	38,6 (32,1; 45,5)	6,7 (4,1; 11,0)	84,9 (54,1; 96,4)
Female	52,0 (13,1; 88,6)	52,0 (13,1; 88,6)	100
<i>Age (years)</i>			
15-24	27,9 (7,3; 65,5)	14,0 (2,0; 56,4)	100
25-44	40,8 (31,2; 51,2)	6,8 (3,4; 13,0)	100
45-59	46,8 (35,7; 58,1)	6,1 (2,3; 15,2)	69,0 (18,7; 95,6)
65+	12,9 (5,7; 26,6)	9,8 (3,8; 23,2)	75,8 (24,9; 96,7)
<i>Residence</i>			
Urban	44,7 (32,3; 57,8)	9,2 (4,2; 18,7)	72,0 (23,9; 95,5)
Rural	36,6 (29,2; 44,6)	6,5 (3,5; 11,6)	93,2 (63,6; 99,1)

<i>Education Level</i>			
[Category 1	26,2 (18,7; 35,3)	3,8 (11,7; 8,3)	82,3 (35,2; 97,6)
Category 2	50,8 (36,9; 64,7)	7,6 (2,8; 18,9)	100
Category 3]	53,2 (39,0; 66,8)	12,7 (5,9; 25,3)	76,7 (28,1; 96,5)

Table11.8: Noticing Anti-Cigarette Smoking Information During the Last 30 Days in Newspapers or Magazines and Television, by Smoking Status and Selected Demographic Characteristics

Places	Overall	Gender		Age (years)		Residence	
		Male	Female	15-24	≥ 25	Urban	Rural
Overall							
In newspapers or in magazines	23,9 (20,2; 28,0)	27,1 (22,2; 32,6)	18,7 (13,7; 25,1)	26,3 (19,3; 34,8)	23,2 (19,0; 28,0)	21,5 (17,7; 25,8)	34,9 (24,8; 46,7)
On television	76,1 (72,0; 79,9)	72,9 (67,4; 77,8)	81,3 (74,9; 86,3)	73,7 (65,2; 80,7)	76,8 (72,0; 80,0)	78,5 (74,2; 82,3)	65,1 (53,3; 75,2)
Current smokers							
In newspapers or in magazines	43,7 (23,6; 62,8)	43,7 (23,6; 62,8)	0	100	41,1 (23,9; 60,7)	46,7 (24,1; 70,7)	40,9 (17,8; 68,9)
On television	56,3 (37,2; 73,7)	56,3 (37,2; 73,7)	0	0	58,9 (39,3; 76,1)	53,3 (29,3; 75,9)	59,1 (31,1; 82,2)
Non-smokers							
In newspapers or in magazines	23,0 (19,2; 27,2)	25,8 (20,8; 31,5)	18,7 (13,7; 25,1)	25,7 (18,7; 34,1)	22,1 (17,9; 27,1)	20,8 (17,0; 25,2)	34,0 (23,2; 46,9)
On television	77,0 (72,8; 80,8)	74,2 (68,5; 79,2)	81,3 (74,9; 86,3)	74,3 (65,9; 81,3)	77,9 (72,9; 82,1)	79,2 (74,8; 83,0)	66,0 (53,1; 76,8)

Table11.9: Current Smokers who Noticed Health Warnings on Cigarette Packages and Considered Quitting Because of the Warnings During the Last 30 Days, by Selected Demographic Characteristics

Demographic Characteristics	Current smokers who...	
	Noticed health warnings on cigarette package	Thought about quitting because of warning label
Overall	48,7 (42,0; 55,5)	61,1 (51,0; 70,3)
Gender		
Male	48,7 (41,9; 55,5)	60,6 (50,5; 70,0)
Female	54,3 (14,3; 89,4)	100
Age (years)		
15-24	88,2 (55,6; 97,8)	52,7 (21,5; 81,9)
25-44	56,4 (46,5; 65,8)	58,7 (45,0; 71,2)
45-59	50,4 (39,1; 61,6)	65,5 (48,3; 79,4)
65+	7,3 (2,4; 19,9)	70,3 (21,2; 95,4)
Residence		
Urban	66,7 (55,1; 79,8)	64,6 (50,8; 76,4)
Rural	41,4 (33,7; 49,7)	59,0 (45,2; 71,4)
Education Level		
[Category 1	29,3 (21,2; 38,9)	47,4 (29,7; 65,8)
Category 2	47,0 (33,3; 61,1)	68,2 (47,3; 83,7)
Category 3]	84,5 (74,2; 91,2)	67,9 (51,9; 80,6)

Table11.10: Noticing Cigarette Advertising During the Last 30 Days in Various Places, by Selected Demographic Characteristics

Places	Overall	Gender		Age (years)		Residence	
		Male	Female	15-24	≥ 25	Urban	Rural
Noticed advertisements in stores	5,5 (4,9; 6,1)	7,0 (6,1; 8,1)	4,1 (3,4; 4,9)	5,3 (4,1; 6,7)	5,5 (4,9; 6,2)	10,7 (9,5; 12,0)	1,5 (1,1; 2,0)
<i>Noticed cigarette promotions</i>	2,9 (2,4; 3,4)	3,5 (2,8; 4,4)	2,3 (1,8; 3,0)	3,0 (2,1; 4,3)	2,9 (2,4; 3,4)	3,2 (2,6; 3,9)	2,7 (2,1; 3,4)
Free samples	0,4 (0,3; 0,6)	0,5 (0,3; 0,9)	0,3 (0,1; 0,6)	0,4 (0,2; 1,0)	0,4 (0,2; 0,6)	0,6 (0,3; 0,9)	0,3 (0,1; 0,6)
Sale prices	0,3 (0,2; 0,6)	0,5 (0,2; 1,0)	0,2 (0,1; 0,5)	0,5 (0,1; 1,7)	0,3 (0,2; 0,5)	0,4 (0,2; 0,6)	0,3 (0,1; 0,8)
Coupons	0,1 (0,1; 0,3)	0,2 (0,1; 0,5)	0,1 (0,0; 0,4)	0,1 (0,0; 0,5)	0,2 (0,1; 0,4)	0,1 (0,0; 0,3)	0,2 (0,1; 0,5)
Free gifts/discounts on other products	0,2 (0,1; 0,4)	0,2 (0,1; 0,6)	0,2 (0,1; 0,4)	0,2 (0,0; 0,5)	0,2 (0,1; 0,4)	0,2 (0,1; 0,4)	0,2 (0,1; 0,5)
Clothing/item with brand name or logo	2,5 (2,1; 3,0)	2,9 (2,3; 3,7)	2,1 (1,7; 2,8)	2,3 (1,5; 3,3)	2,6 (2,1; 3,1)	2,6 (2,1; 3,3)	2,4 (1,9; 3,2)
Mail promoting cigarettes	0,1 (0,1; 0,3)	0,2 (0,1; 0,5)	0,1 (0,0; 0,4)	0,0 (0,0; 0,2)	0,2 (0,1; 0,4)	0,1 (0,0; 0,3)	0,2 (0,1; 0,5)

Table 11.11: Average amount spent on a cigarette pack, monthly average expenditure on cigarettes and cost of 100 cigarette packs as a percentage of Gross Domestic Product (GDP) per capita according to sex, Age Group and level of education

		Confidence interval (IC 95%)
		Amount in Francs CFA
All of the country	Average Amount Spent on 20 manufactured cigarettes	377,0 (343,3; 410,6)
	Monthly Average expenditure on cigarettes	4907,4 (4055,7; 5759,1)
	Cost of 100 packs of cigarettes manufactured in percentage of annual gross domestic product (GDP) per capita	Total(%) 10,8 (9,8; 11,8)
Age Group		
,-24	Average Amount Spent on 20 manufactured cigarettes	377.7159
	Monthly Average expenditure on cigarettes	2466,5 (1860,3; 3072,8)
	Average Amount Spent on 20 manufactured cigarettes	384,6 (331,4; 437,9)

[20-44]	Monthly Average expenditure on cigarettes	5091,3 (4191,4; 5991,2)
[45-64]	Average Amount Spent on 20 manufactured cigarettes	357,6 (306,3; 408,9)
	Monthly Average expenditure on cigarettes	4254,6 (2715,7; 5793,4)
65 or over	Average Amount Spent on 20 manufactured cigarettes	402,8 (328,6; 476,9)
	Monthly Average expenditure on cigarettes	6552,6 (3239,6; 9865,5)
Educational Level		
Without level	Average Amount Spent on 20 manufactured cigarettes	398,5 (340,5; 456,6)
	Monthly Average expenditure on cigarettes	4918,9 (3498,1; 6339,6)
Primary	Average Amount Spent on 20 manufactured cigarettes	389,8 (331,7; 9)
	Monthly Average expenditure on cigarettes	3975,6 (3170,8; 4780,5)
Secondary or plus	Average Amount Spent on 20 manufactured cigarettes	335,4 (297,2; 373,6)
	Monthly Average expenditure on cigarettes	5548,5 (4063,1; 7033,8)